PATENT COOPERATION TREATY

PCT

NOTIFICATION CONCERNING THE FILING OF AMENDMENTS OF THE CLAIMS

(PCT Administrative Instructions, Section 417)

From the INTERNATIONAL BUREAU

То

YOSHITAKE, Kenji Kyowa Patent & Law Office Room 323, Fuji Bldg. 2-3, Marunouchi 3-chome Chiyoda-ku, Tokyo 1000005 Japan



Date of mailing

(day/month/year)

27 June 2005 (27.06.2005)

Applicant's or agent's file reference

152199-268

International application No.

PCT/JP2005/000700

IMPORTANT NOTIFICATION

International filing date (day/month/year)

20 January 2005 (20.01.2005)

Applicant

DAI NIPPON PRINTING CO., LTD. et al

1. The applicant is hereby notified that amendments to the claims under Article 19 were received by the International Bureau on:

07 June 2005 (07.06.2005)

2. This date is within the time limit under Rule 46.1.

Consequently, the international publication of the international application will contain the amended claims according to Rule 48.2(f), (h) and (i).

3. The applicant is reminded that the international application (description, claims and drawings) may be amended during the international preliminary examination under Chapter II, according to Article 34, and in any case, before each of the designated Offices, according to Article 28 and Rule 52, or before each of the elected Offices, according to Article 41 and Rule 78.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorised officer

Elisabeth SASON Telephone No. (41-22) 338 9915

Facsimile No. (41-22) 338.90.90

10/586171 2-3, (FUJI BLDG.), MARUNOUCHI 3-CHOME.

CHIYODA-KU, TOKYO 100-0005 JAPAN

KYOWA PATENT AND LAW OFFICE

協和特許法律事務所

Patents, Trademarks, Designs Copyrights, Litigation, Licensing

VIA FACSIMILE (010-41-22-740-14-35)

+81-3-3211-2321 +81-3-3211-1710 Phone: Fax:

atent Attorneys and

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20 Switzerland

Kenii Yoshitake Masami Tamama Masashi Kurose Yukitaka Nakamura Hiroshi Nagai Yasukazu Sato Hiroluto Katsunuma Hidetoshi Kitsuya Kazuhiko Yazaki Akio Konno Katsuyoshi Koizumi Hiroshi Yoshimoto lunnei Okada Nobutaka Yokota Yasushi Kawasaki Satoshi Nazuka Hideyuki Mori

Makoto Shiotani Taku Nakagawa Kiyohiro Suzuki Takeshi Sekine Katsuomi Isogai Kazuhiro Miyagi Shigeru Takebayashi Kensuke Miyakoshi Takeyasu Ito Yoshihiro Takahashi Yukio Hakozaki Takeshi Katada Masaharu Takamura Nobuo Okazawa Akira Akaoka Manabu Mivajima Makoto Asano

Hiroshi Sorimachi Yukihiro Hotta Hiroki Ohara Hiromoto Kashima Rie Funabashi Akitaka Ukaji Noboru Taniguchi Michiko Omori Tomoya Deguchi Hiroyuki Ohno Ruoling Du Masamitsu Sato Kunishige Sato Kazuo Sato Katsuumi Onodera

June 7, 2005

CONFIRMATION BY COURIER NUMBER OF PAGES: 3.

Amendment of the claims under Article 19 (1) (Rule 46)

Re: International Application No. PCT/JP2005/000700

International Filing Date: 20.01.2005

Applicant: DAI NIPPON PRINTING CO., LTD.

Agent: YOSHITAKE Kenji, et al. Agent's File Reference: 152199-268

Dear Sirs:

)

The applicant, who received the International Search Report relating to the above identified International Application transmitted on 19.4.2005, hereby files an amendment under Article 19 (1) as in the attached sheets.

We hereby would like to amend the claim 11.

The Applicant also files as attached herewith a brief statement explaining the amendment.

Very truly yours,

KYOWA PATENT AND LAW OFFICE

TK/kn

Attachment:

(1) Amendment under Article 19 (1)

1 sheet

(2) Brief Statement

1 sheet

前記基材の一方の面に耐熱滑性層が形成されてなり、

前記基材の他方の面に接着層と、染料層とがこれらの順で形成されてなり、 前記接着層がポリビニルピロリドン樹脂と、該樹脂を変性する変性剤とを含んでなる、熱転写シート。

- [11] (補正後)前記変性剤が、接着層を形成する成分の全固形分に対して0.5重量% ~10%の量で添加されてなる、請求項10に記載の熱転写シート。
- [12] 前記接着層を形成する成分の塗工量が、前記接着層の乾燥時において0.05~0 .3g/m²である、請求項10または11に記載の熱転写シート。
- [13] 基材の少なくとも一方の面に、接着層と、染料層とをこれらの順で形成させてなる熱 転写シートであって、

前記接着層が、ポリビニルピロリドン樹脂と、

- (A)メチルエチルケトン/イソプロピルアルコールを重量比で1:1とする混合溶媒に対して溶解性があり、固形分が5重量%となる状態にまで希釈してもゲル化することのない、ポリウレタン樹脂およびアクリルポリオール樹脂の群から選択される少なくとも一つの成分と、
- (B)メチルエチルケトン/イソプロピルアルコールを重量比で1:1とする混合溶媒に対して溶解性があり、固形分が5重量%となる状態にまで希釈してもゲル化することのない、イソシアネート、ブロックイソシアネート、およびアルミキレート剤の群から選択される少なくとも一つの成分とを含んでなる、熱転写シート。
- [14] 前記接着層が、ポリビニルピロリドン樹脂の変性体をさらに含んでなる、請求項13 に記載の熱転写シート。
- [15] 前記(A)の群から選択されてなる少なくとも一つの成分が、前記接着層を形成する 成分の全固形分に対して1重量%~30重量%で添加されてなり、
 - 前記(B)の群から選択されてなる少なくとも一つの成分が、前記接着層を形成する成分の全固形分に対して1重量%~10重量%で添加されてなる、請求項13に記載の熱転写シート。
- [16] 前記接着層を形成する成分の塗工量が、前記接着層の乾燥時において0.01~3 . 0g/m²である、請求項13~15のいずれか一項に記載の熱転写シート。

条約第19条(1)に基づく説明書

請求の範囲第11項の「前記錯体形成剤が」を「前記変性剤が」に補正する。